
Rod clevis SG

Dimensions in mm.

Material: Galvanized steel




Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data


Designation	Description	Compatible with	Material	Fmax (N)	Mass (kg)
SG 25 - 9196	SG 25	MCE 25	Galvanized steel	F MCE	0.02
SG 32 - 9197	SG 32	MCE 32	Galvanized steel	F MCE	0.05
SG 45 - 9186	SG 45	MCE 45	Galvanized steel	F MCE	0.09


Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Dimensions



Simple support





Designation	M	L1	L2	L3	L4	L5	L6	D1	D2
SG 25 - 9196	M6	31 (±0.5)	16	6 (B13)	12 (±0.5)	24	12 (h11)	6 (H9)	10
SG 32 - 9197	M8	42 (±0.5)	22	8 (B13)	16 (±0.5)	32	16 (h11)	8 (H9)	14
SG 45 - 9186	M10 × 1.25	52 (±0.5)	26	10 (B13)	20 (±0.5)	40	20 (h11)	10 (H9)	18

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.