Self-aligning joint FK

Dimensions in mm.

Material: Galvanized steel




Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data

Designation	Description	Compatible with	Material	Fmax (N)	Mass (kg)
FK 25 - 5473	FK 25	MCE 25	Galvanized steel	F MCE	0.03
FK 32 - 5474	FK 32	MCE 32	Galvanized steel	F MCE	0.06
FK 45 - 5466	FK 45	MCE 45	Galvanized steel	F MCE	0.22


Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.


Dimensions



Simple support







Designation	M	L1	L2	L3	L4	L5	L6	A	D
FK 25 - 5473	M6	35	17.5	11	4	12.5	14.5	4	8.5
FK 32 - 5474	M8	57	26	21	5	16	19	5	12.5
FK 45 - 5466	M10 × 1.25	71.5	35	20	9	22	32	6	22

Designation	E	CH1	CH2	CH3	CH4	B
FK 25 - 5473	1	13	7	10	5	6
FK 32 - 5474	2	17	11	13	7	8
FK 45 - 5466	2	30	19	17	12	8

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.