Coupling piece KSZ

Dimensions in mm.

Material: Galvanized steel




Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

General Data


Designation	Description	Compatible with	Material	Fmax (N)	Mass (kg)
KSZ 25 - 5227	KSZ 25	MCE 25	Galvanized steel	F MCE	0.05
KSZ 32 - 5228	KSZ 32	MCE 32	Galvanized steel	F MCE	0.07
KSZ 45 - 5229	KSZ 45	MCE 45	Galvanized steel	F MCE	0.11


Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Dimensions



Fixed support





Designation	M	L1	L2	L3	L4	L5	L6	L7	D1
KSZ 25 - 5227	M6	30	25	20	15	16	8	0.1	12^-0.1
KSZ 32 - 5228	M8	35	30	25	20	22	8	0.1	14^-0.1
KSZ 45 - 5229	M10 × 1.25	40	35	30	25	20	10	0.1	17^-0.2

Designation	D2	D3	CH
KSZ 25 - 5227	18	5.5	10
KSZ 32 - 5228	20	5.5	13
KSZ 45 - 5229	26	5.5	15

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.