

Back mount ABM

Dimensions in mm.

Mounting screws and nuts are included.


Material: Stainless steel







Variant Data

Designation	Compatible with	Description	Material	Fmax (N)	Mass (kg)
ABM 25 - T1 - 108239	MCE 25	ABM 25 - T1	Stainless steel	F MCE	0,14
ABM 32 - T1 - 108237	MCE 32	ABM 32 - T1	Stainless steel	F MCE	0,24
ABM 32 - T2 - 108238	MCE 32	ABM 32 - T2	Stainless steel	F MCE	0,29
ABM 45 - T1 - 108235	MCE 45	ABM 45 - T1	Stainless steel	F MCE	0,62
ABM 45 - T2 - 105320	MCE 45	ABM 45 - T2	Stainless steel	F MCE	0,72

Dimensions



For fixed/simple support



* MCE/MSCE mounting nuts and screws

Designation	M	L1	L2	L3	L4	L5	L6	L7	L8
ABM 25 - T1 - 108239	M4	165	30,50	27,50	35	18	13,50	28	12
ABM 32 - T1 - 108237	M5	170	38,50	35	40	22	13,50	28	12
ABM 32 - T2 - 108238	M5	200	46	35	40	22	13,50	28	12
ABM 45 - T1 - 108235	M6	210	53,50	49	50	32	20	40	16
ABM 45 - T2 - 105320	M6	245	64,90	49	50	32	20	40	16

Designation	L9	L10	L11	L12	T (Nm)
ABM 25 - T1 - 108239	29,80	35,50	27	2,50	0,30
ABM 32 - T1 - 108237	37,70	44,50	34	3	1,20
ABM 32 - T2 - 108238	37,70	52	34	3	1,20
ABM 45 - T1 - 108235	52,70	61,50	48	4	2,20
ABM 45 - T2 - 105320	52,70	72,90	48	4	2,20