Castor with Fitted Flange

Sturdy castors with fitted flange.
Run very smoothly and are a particularly good choice for workshops.
Sold as lockable steering castor and fixed castor.
Lockable steering castor: locks to prevent the wheel from rolling and turning
Material: Wheel: Solid rubber; rim: polypropylene;
Housing: Galvanised steel sheet; transparent chromate coating

System: 40 - Slot 8; 30 - Slot 6; 20 - Slot 5
Type: Castors

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.



General Data



Designation	Description	A	B	D	H
RA5099	Steering castor	100	85	100	125
RA5100	Steering castor	100	85	125	150
RA5101	Fixed castor	-	-	75	98
RA5102	Fixed castor	-	-	75	98

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

Designation	Description	A	B	D	H
RA5103	Fixed castor	100	85	100	125
RA5104	Fixed castor	100	85	125	150

Designation	ESD	b	d	F (N)	a	T2
RA5099	-	60	9	700	80	30
RA5100	Yes	60	9	1000	80	37.5
RA5101	-	-	11	750	-	25
RA5102	-	-	11	750	-	25
RA5103	-	60	9	700	80	30
RA5104	-	60	9	1000	80	37.5

Designation	Al
RA5099	36
RA5100	40
RA5101	-
RA5102	-
RA5103	-
RA5104	-

Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.