# Corner Angle 30

Right-angled links between up to three square or semi-circular profiles of the same cross section.Square or round caps for protection against injury and dirt.

Material: Corner angle: Uncoated die-cast zinc
Caps: plastic (PA).

Note: The caps in the sets are not ESD-ready.

**System:** 30 - Slot 6
**Type:** Angles Brackets and Corners; Fasteners




Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.







| Machining of corner angles | 5 Profile 20x20 | 6 Profile 30x30 |
|---|---|---|
| Thread (M) | M5 | M6 |
| Depth (T) | 25 mm | 25 mm |


Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.

# General Data




| Designation | Description | System | F (Nm) | ESD |
|---|---|---|---|---|
| **PZ5017** | Corner angle 30 including 3 M6 × 16 screws (ISO 7380) | 30 - Slot 6 | 40 | Yes |
| **PV1076** | Corner angle 30 including 3 M6 × 16 screws (ISO 7380) and square black cap | 30 - Slot 6 | 40 | Yes |
| **PZ5018** | Corner angle 30 including 3 M6 × 16 screws (ISO 7380) and square grey cap (RAL7004) | 30 - Slot 6 | 40 | Yes |
| **PZ5298** | Corner angle 30 including 3 M6 × 16 screws (ISO 7380) and round black cap | 30 - Slot 6 | 40 | Yes |
| **PA1208** | Round black cap | 30 - Slot 6 | - | - |
| **PA1209** | Square black cap | 30 - Slot 6 | - | - |
| **PA1210** | Square grey cap (RAL7004) | 30 - Slot 6 | - | - |


Every care has been taken to ensure the accuracy of the information in this document, but we take no liability for any errors or omissions. We reserve the right to make changes without prior notice.