

Mounted Rail & Block

SBI 25 - 2 - FL - N - MF - ZZ - K1 - R - 820 - 20 - 20 - R

Type	
Size	
Number of blocks	
Type of block FL, SL, FLL, SLL, HL, HLS, CL, CLS, HLL, CLL, FV or SV	
Nipple option N: Side nipple Leave empty for standard front nipple	
Lubrication unit* MF: Self lubrication container DF: High dust proof seal Leave empty if standard	
Scraper ZZ: Steel scraper Leave empty if standard	
Preload** K0: No preload K1: Normal preload K2: Light preload K3: Heavy preload	
Option Block R: Raydent treatment Leave empty if standard	
Length of rail	
Distance from end of rail to center of first hole	
Distance from center of last hole to rail end	
Option Rail R: Raydent treatment B: Bottom mounted rail Leave empty if standard	

*When ordering Lubrication unit MF, the block is delivered without grease nipple. If need of grease nipple, please order side grease nipple type.

** K3 Preload is not available for SBI15

Example of designation for standard block without any options: SBI 25 FL - K1.

Rail

SBI 25 - 820 - 20 - 20 - R

Type

Size

Length of rail

Distance from end of rail to center of first hole

Distance from center of last hole to rail end

Option

R: Raydent treatment
B: Bottom mounted rail
Leave empty if standard

Stainless ST Dustproof Tape

SBI 15 ST - 1000

Article No.

Length

Block

SBI 25 FL - N - MF - ZZ - K1 - R

Type

Size

Type of block

FL, SL, FLL, SLL, HL, HLS, CL, CLS, HLL, CLL, FV or SV

Nipple option

N: Side nipple
 Leave empty for standard front nipple

Lubrication unit*

MF: Self lubrication container
 DF: High dust proof seal
 Leave empty if standard

Scraper

ZZ: Steel scraper
 Leave empty if standard

Preload**

K0: No preload
 K1: Normal preload
 K2: Light preload
 K3: Heavy preload

Option

R: Raydent treatment
 B: Bottom mounted rail
 Leave empty if standard

*When ordering Lubrication unit MF, the block is delivered without grease nipple. If need of grease nipple, please order side grease nipple type.

** K3 Preload is not available for SBI15